



## Satori Intersects 3.03 g/t Au over 4.5 metres at Tartan Lake

**THIS NEWS RELEASE IS NOT INTENDED FOR DISSEMINATION IN THE UNITED STATES  
OR DISTRIBUTION TO U.S. NEWSWIRE SERVICES**

Toronto, Ontario – October 13, 2017 – Satori Resources Inc. (TSXV:BUD) (“Satori” or the “Company”) is pleased to announce the results of a 2,045 metre drill program at the Company’s 100% owned Tartan Lake Gold Mine Project (“Tartan Lake” or the “Project”) located in Flin Flon, Manitoba.

Commencing on June 12, 2017, the Company undertook a limited drill program focusing on the South Zone. Upon completion of the program a total of 2,045 metres were drilled in 6 diamond drill holes. The results of the program both confirmed and provided a basis for further exploration of the South Zone portion of the resource model, developed in November of 2016, which is found in the NI 43-101 compliant resource estimate in the “Tartan Lake Project Technical Report” authored by Mining Plus Canada Consulting, April, 2017. This most recent drilling intersected gold mineralization both along strike and down dip beyond the existing resource limits.

Interim CEO Bruce Reid Stated: “These drilling results at Tartan increase the zone of mineralization and provide the basis for a more focused drill program on the South Zone.”

Table 1 below indicates the significant results in grams of gold per tonne (g/t Au) by hole for this program:

Hole #	From (m)	To (m)	Length* (m)	Au (g/t)	Intersection	
					Avg. Grade (g/t Au)	Length (m)
TL17-07	212	213	1	3.55	3.55	1.00
TL17-07	221	222	1	2.59	2.34	6.00
TL17-07	222	223	1	0.03		
TL17-07	223	224	1	0.25		
TL17-07	224	225	1	2.54		
TL17-07	225	226	1	6.72		
TL17-07	226	227	1	1.9		
TL17-07	267	268	1	0.62		
TL17-07	268	269	1	4.41	2.07	3.00
TL17-07	269	270	1	1.17		

					Intersection	
Hole #	From (m)	To (m)	Length* (m)	Au (g/t)	Avg. Grade (g/t Au)	Length (m)
TL17-07	282	283	1	3.09	2.16	9.00
TL17-07	283	284	1	0.87		
TL17-07	284	285	1	4.76		
TL17-07	285	286.6	1.6	2.67		
TL17-07	286.6	288	1.4	0.01		
TL17-07	288	289	1	0.15		
TL17-07	289	290	1	4.315		
TL17-07	290	291	1	1.985		
TL17-08	205	206	1	3.77	2.85	2.00
TL17-08	206	207	1	1.92		
TL17-08	216	217	1	11.03	2.55	8.00
TL17-08	217	218	1	0.045		
TL17-08	218	219	1	0.65		
TL17-08	219	219.72	0.72	1.71		
TL17-08	219.72	221	1.28	0.95		
TL17-08	221	222	1	0.025		
TL17-08	222	223	1	0.03		
TL17-08	223	224	1	6.175		
TL17-08	238	239	1	3.635	2.15	4.00
TL17-08	239	240	1	1.7		
TL17-08	240	241	1	2.07		
TL17-08	241	242	1	1.19		
TL17-08	299	300	1	3.875	3.88	1.00
TL17-08	308	309	1	1.41	1.41	1.00
TL17-09	49.01	50.03	1.02	1.36	1.36	1.02
TL17-09	221.1	222.53	1.43	1.17	1.87	2.21
TL17-09	222.53	223.31	0.78	3.16		

					Intersection	
Hole #	From (m)	To (m)	Length* (m)	Au (g/t)	Avg. Grade (g/t Au)	Length (m)
TL17-10	108	109	1	1.14	1.39	4.00
TL17-10	109	110	1	0.39		
TL17-10	110	111	1	1.66		
TL17-10	111	112	1	2.38		
TL17-11	224	225.58	1.58	3.91	3.03	4.45
TL17-11	225.58	226.38	0.8	1.71		
TL17-11	226.38	227.54	1.16	4.54		
TL17-11	227.54	228.45	0.91	0.76		
TL11-12	No significant results					

\*The lengths indicated are core length samples and do not represent true width values.

#### Technical Information

The surface exploration drilling was conducted by Black Hawk Drilling of Smithers, British Columbia, and carried out under the supervision of Peter Karelse P.Geo., registered in the Province of Ontario, a Geological Consultant, who is a qualified person as defined by NI 43-101. Mr. Karelse has more than 30 years of experience in gold exploration and development. All technical information in this press release has been reviewed and approved by Mr. Karelse. Samples were transported directly in secure containers from the Satori site in Flin Flon, Manitoba, to the TSL Laboratories ("TSL") in Saskatoon, Saskatchewan. TSL, which is an accredited ISO/IEC 17025 lab, assayed the samples using standard fire assay methods with a gravimetric finish. Certified standards are placed in the sample stream at a rate of one standard per 20 samples. Certified blanks are placed in the sample stream at a rate of one blank every 40 samples.

#### ABOUT SATORI RESOURCES INC.

Satori is a Toronto-based mineral exploration and development company whose primary property is the Tartan Lake Gold Mine Project (100% interest), located in the prolific Flin Flon mining district, in Manitoba, Canada. The Tartan Lake Gold Mine had historical high-grade production of 48,000 ounces of gold between 1987 and 1989. The Project hosts a largely intact 450 tonne per day gold concentrator and related infrastructure, along with a decline ramp providing access to developed gold mineralization within the Main and South Zones to a vertical depth of 320 metres.

FOR FURTHER INFORMATION, PLEASE CONTACT:

Bruce Reid  
Chief Executive Officer  
info@satoriresources.ca

For further information, please visit [www.satoriresources.ca](http://www.satoriresources.ca).

Neither TSX Venture Exchange Inc. nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

#### CAUTION REGARDING FORWARD-LOOKING INFORMATION

This news release of Satori contains statements that constitute “forward-looking statements.” Such forward-looking statements involve known and unknown risks, uncertainties and other factors that may cause Satori’s actual results, performance or achievements, or developments in the industry to differ materially from the anticipated results, performance or achievements expressed or implied by such forward-looking statements.