

26 February 2018

TSX: **AZZ** / FRA: **P8AA** / OTCMKTS: **PWURF**

AZARGA URANIUM IDENTIFIES SIGNIFICANT SECOND AREA OF NEW URANIUM MINERALIZATION AT DEWEY BURDOCK

AZARGA URANIUM CORP. (TSX:AZZ) (“Azarga Uranium” or the “Company”) is pleased to announce that the Company continues to identify new uranium mineralization at its initial development priority, the Dewey Burdock in-situ recovery (“ISR”) uranium project in South Dakota (the “Dewey Burdock Project”). On 8 February 2018, the Company announced newly identified uranium mineralization at the Dewey area of the Dewey Burdock Project, with the expectation of identifying additional uranium mineralization at the Burdock area of the project. Through the continued analysis of historical data owned by the Company (the “Data Set”) and the evaluation of revised ISR cutoff criteria, consistent with other producing ISR projects in nearby Wyoming, the Company has identified significant, new uranium mineralization at the Burdock area of the Dewey Burdock Project.

Highlights of the new uranium mineralization at the Dewey Burdock Project includes:

- 706 mineralized drill holes with 787 intercepts equal to or exceeding a 0.2 grade-thickness (GT) cutoff using a 0.02% grade cutoff with an average eU_3O_8 grade of 0.139% and an average thickness of 5.1 feet
 - 28% of the mineralized drill holes exceed a 0.5 GT cutoff
- Falls within the existing Nuclear Regulatory Commission (“NRC”) License boundary for the Dewey Burdock Project
- Contiguous with ISR resources already identified at the Dewey Burdock Project
- Further indicates the potential to significantly expand the Dewey Burdock Project resource estimate within the NRC License boundary
- Larger and more continuous resource areas within the Dewey Burdock Project could achieve certain cost reductions compared to the existing preliminary economic assessment

“We are very excited to have completed our initial analysis of the Data Set for the Dewey Burdock Project. The results to date have exceeded our expectations. With initial review of both the Dewey and Burdock areas complete, the newly identified uranium mineralization indicates widespread potential to significantly increase the currently identified uranium resources at the Dewey Burdock Project. The number of newly identified uranium intercepts from this initial review nearly equals the number of intercepts used to calculate the existing resource estimate for the Dewey Burdock Project. We look forward to completing a resource update for the Dewey Burdock Project as well as a revised preliminary economic assessment”, said John Mays, Chief Operating Officer.

In addition to the 706 mineralized drill holes with 787 intercepts contiguous to existing ISR resources, the Company identified 235 mineralized drill holes with 249 intercepts at relatively shallow depth, potentially suitable for non-ISR recovery methods, with an average eU₃O₈ grade of 0.082% and an average thickness of 6.8 feet.

The following tables provide a detailed summary of the results for the 941 mineralized drill holes with 1036 intercepts that equal or exceed a 0.2 GT cutoff using a 0.02% grade cutoff:

Data contiguous to existing ISR resources:

Hole ID	Zone	Depth (ft)	Thickness (ft)	GT	Avg. Grade (%)
B 7	L4	444.0	10.0	2.53	0.253
COS 1	L2A	346.0	2.0	0.26	0.129
DB 07-10-42	L4	538.0	1.5	0.21	0.138
DB 07-10-6	L2A	554.5	8.0	0.44	0.055
DB 07-10-7	L1	573.5	4.5	0.27	0.061
DB 07-11-14C	L2B	415.0	6.0	0.34	0.057
DB 07-11-28	L1	376.0	4.5	0.52	0.116
DB 07-11-4C	L2B	432.5	7.0	0.24	0.034
DB 07-12-3	L2B	235.5	6.0	1.09	0.182
DK 211	L1	418.0	3.5	0.49	0.139
DRA 12	L3	296.0	7.5	0.23	0.030
DRA 13	L1	293.5	4.5	0.62	0.138
DRA 18	L1	285.0	12.0	0.67	0.056
DRA 24	L1	310.0	10.5	0.25	0.024
DRA 26	L1	320.5	6.0	0.29	0.048
DRJ 143	L2B	353.0	7.5	0.23	0.030
DRJ 168	L4	360.5	4.0	0.20	0.050
DRJ 168	L2B	392.0	1.0	0.23	0.230
DRJ 169	L3	367.5	5.5	0.22	0.040
DRJ 173	L4	306.0	3.0	0.33	0.110
DRJ 183	L1	314.0	21.0	1.04	0.050
DRJ 184	L1	316.5	20.0	1.58	0.079
DRJ 185	L1	299.0	10.0	0.94	0.094
DRJ 192	L1	295.0	8.5	1.72	0.202
DRJ 198	L1	300.0	2.5	0.27	0.108
DRJ 56	L3	304.0	4.0	0.27	0.068
DRJ 90	L1	370.5	2.0	0.20	0.100
DRJ 93	L6	222.5	5.5	0.22	0.040
DRJ 96	L2B	314.0	1.5	0.23	0.150
DRM 10	L1	370.5	2.5	0.40	0.160
DRM 22	L1	369.5	5.5	1.05	0.190
DRM 23	L1	398.0	2.0	0.30	0.150
DRM 26	L2A	397.0	4.0	0.24	0.060
DRM 26	L1	421.0	1.5	0.47	0.310
DRM 39	L1	374.5	4.5	0.32	0.070
DRM 4	L1	392.0	6.0	0.24	0.040
DRM 52	L1	303.0	9.0	0.72	0.080
DRM 6	L3	250.5	1.5	0.21	0.140
DRM 60	L1	383.5	7.5	0.35	0.047
DRR 124	L2A	326.5	4.5	0.27	0.060
DRR 76	L2B	355.0	8.5	0.26	0.030
DRR 81	L2A	350.0	1.5	0.44	0.290
DRR 84	L2A	334.5	3.5	0.22	0.063
DRS 20	L1	301.5	4.5	0.42	0.092
DRS 21	L1	291.5	8.0	0.55	0.069
DRS 23	L1	300.5	7.0	0.28	0.040
DRS 24	L1	300.5	5.0	0.40	0.080
DRS 26	L1	314.0	4.0	0.28	0.070
DRS 32	L1	305.0	10.0	0.24	0.024
DRS 45	L2B	336.5	8.5	0.26	0.030
DRS 6	L1	304.5	3.0	0.53	0.175
DRT 41	L3	305.0	5.5	0.38	0.068
DRT 57	L1	327.0	10.0	0.24	0.024
IHR 105	L2B	318.0	6.5	0.93	0.143
IHR 14	L3	340.0	3.5	0.24	0.069
IHR 67	L2	266.5	10.7	0.91	0.085
IHR 69	L1	299.5	8.0	1.34	0.168
IHR 69	L2	281.0	3.5	1.93	0.551
IHR 70	L1	293.0	6.0	1.40	0.233
IHR 70	L2	282.0	7.5	2.78	0.370
IHS 18	L1	414.5	3.4	0.37	0.110
IHS 27	L2A	378.2	3.1	0.59	0.192
IHS 28	L2A	377.2	6.3	0.46	0.074
IHS 29	L1	398.8	6.9	0.40	0.058
IHS 36	L2A	403.2	4.6	0.25	0.054
IHS 40	L2A	346.5	2.5	0.43	0.170
IHS 41	L2A	344.0	5.0	0.37	0.074
IHS 44	L1	301.0	7.0	0.21	0.030
IHS 45	L1	321.5	2.0	0.24	0.120
IHS 48	L3	250.0	8.0	0.24	0.030
IHS 52	L1	319.0	11.0	0.44	0.040
IHS 64	L2A	283.0	2.0	0.44	0.220
IHS 71	L1	277.0	3.5	0.27	0.076
IHS 77	L1	293.0	11.5	0.23	0.020
IHS 80-A	L1	279.5	7.0	2.57	0.367
IHS 82	L1	302.5	4.0	0.40	0.100
IHS 83	L1	302.5	5.5	0.35	0.063
IHS 85	L1	359.5	1.5	0.24	0.160
IHS 86	L1	314.0	5.0	0.32	0.064
IHS 87	L1	314.5	5.5	0.20	0.036
IHS 89	L1	299.0	7.5	0.57	0.075
IHS 90	L1	329.5	1.5	0.41	0.270
IHS 92	L1	342.0	5.5	0.39	0.070
IHS 95	L1	351.0	8.5	0.34	0.040
IHT 106	L2B	306.0	14.0	0.98	0.070
IHT 108	L3	300.0	6.5	0.36	0.055
IHT 109	L3	312.0	2.0	0.36	0.180
IHT 111	L1	293.0	18.0	0.90	0.050
IHT 114	L2B	272.0	7.0	0.48	0.069
IHT 116	L2A	312.5	2.0	0.26	0.130
IHT 116	L1	318.0	6.0	0.36	0.060
IHT 122	L2B	370.0	1.0	0.27	0.270
IHT 128	L2B	261.0	5.0	0.25	0.050
IHT 128	L1	298.5	11.5	1.04	0.090
IHT 13	L2B	324.0	3.2	0.28	0.089
IHT 130	L1	356.5	6.5	0.48	0.074
IHT 132	L1	342.0	12.0	0.71	0.059
IHT 135	L1	284.0	7.5	0.71	0.095
IHT 138	L2A	291.0	6.0	0.22	0.037
IHT 14	L2B	339.7	3.6	0.23	0.063
IHT 142	L1	299.5	3.0	0.51	0.170
IHT 143	L1	290.0	14.0	0.42	0.030
IHT 144	L1	301.0	4.5	0.43	0.096
IHT 145	L2A	289.5	16.0	0.64	0.040
IHT 160	L1	406.0	8.0	0.57	0.071
IHT 169	L1	396.0	9.5	0.47	0.049

DRT 68	L1	302.0	5.0	0.25	0.050
DRT 69	L1	288.0	5.5	0.53	0.096
DRT 70	L2A	293.0	5.0	0.30	0.060
DRT 73	L1	282.0	13.0	0.48	0.037
DRT 74	L1	275.0	10.5	0.30	0.029
DRT 86	L1	273.0	6.5	0.28	0.043
DRW 10	L4	270.5	5.7	0.27	0.047
DRW 12	L4	281.3	3.2	0.20	0.064
DRW 8	L4	281.0	4.7	0.28	0.059
FBA 16	L2A	382.0	6.5	0.46	0.070
FBA 4	L2B	443.5	3.5	0.32	0.090
FBJ 104	L2B	399.5	2.0	0.23	0.117
FBJ 104	L2A	432.0	1.5	0.35	0.234
FBJ 106	L2B	364.0	4.0	0.32	0.081
FBJ 109	L2B	455.0	3.5	0.22	0.062
FBJ 114	L2A	463.0	1.5	0.41	0.275
FBJ 117	L2B	448.5	1.0	0.35	0.354
FBJ 12	L2B	374.5	4.0	0.36	0.090
FBJ 14	L2B	355.0	5.0	0.26	0.052
FBJ 149	L1	467.0	3.0	0.24	0.080
FBJ 15	L1	375.5	6.0	0.68	0.113
FBJ 17	L1	365.0	5.0	0.35	0.070
FBJ 18	L2B	352.5	4.5	0.59	0.130
FBJ 23	L7	311.5	2.5	0.31	0.122
FBJ 29	L2A	437.0	1.5	0.45	0.300
FBJ 3	L2B	359.0	10.0	0.63	0.063
FBJ 30	L3	398.5	3.0	0.51	0.170
FBJ 35	L2B	420.5	3.0	0.42	0.140
FBJ 36	L2B	418.5	3.0	0.27	0.090
FBJ 36	L7	306.0	2.5	0.45	0.180
FBJ 38	L2B	429.0	4.0	0.36	0.090
FBJ 38	L3	408.5	4.5	0.78	0.172
FBJ 41	L3	434.5	12.5	0.25	0.020
FBJ 52	L1	393.5	3.5	0.54	0.154
FBJ 53	L1	415.0	9.0	0.37	0.041
FBJ 54	L1	375.5	8.0	0.40	0.050
FBJ 55	L2A	385.5	4.0	0.80	0.200
FBJ 58	L1	416.5	3.0	0.23	0.076
FBJ 60	L1	393.5	7.0	0.43	0.061
FBJ 61	L2B	373.0	6.5	0.42	0.064
FBJ 62	L2A	384.5	7.0	0.35	0.050
FBJ 63	L1	393.0	1.5	0.21	0.143
FBJ 70	L2B	404.5	1.5	0.37	0.244
FBJ 77	L1	382.5	5.0	0.21	0.042
FBJ 78	L2A	393.0	3.5	0.32	0.090
FBJ 79	L2A	385.5	4.0	0.25	0.063
FBJ 8	L2B	373.5	6.0	0.36	0.060
FBJ 83	L2A	392.5	6.5	0.57	0.088
FBJ 84	L1	412.5	1.5	0.43	0.287
FBJ 9	L2A	408.5	3.5	0.28	0.079
FBJ 90	L2B	444.5	1.5	0.70	0.466
FBJ 98	L2B	406.5	5.0	0.46	0.092
FBK 13	L2	344.5	2.5	0.24	0.094
FBK 17	L3	337.0	10.0	0.20	0.020
FBK 18	L2	384.0	6.5	0.33	0.051
FBK 19	L3	378.0	11.0	0.37	0.033
FBK 20	L1	441.0	5.5	0.41	0.074
FBK 22	L2	403.0	12.0	0.36	0.030
FBK 29	L1	398.0	5.5	0.55	0.100
FBK 31	L1	413.0	4.0	0.49	0.121
FBK 37	L2	453.0	6.5	0.20	0.031
FBK 6	L3	443.0	13.0	0.26	0.020
FBK 9	L1	393.0	3.0	0.32	0.107
FBM 103	L1	421.0	4.5	0.27	0.060
FBM 104	L1	405.7	4.8	0.84	0.176
FBM 106	L1	425.8	4.0	0.20	0.051
FBM 11	L1	375.5	2.2	0.32	0.146

IHT 170	L1	443.0	8.0	0.24	0.030
IHT 174	L2A	381.0	10.5	0.42	0.040
IHT 174	L1	401.5	8.5	0.46	0.054
IHT 175	L1	444.5	1.0	0.20	0.200
IHT 176	L1	413.0	4.5	0.32	0.070
IHT 177	L2B	377.5	1.5	0.47	0.310
IHT 178	L2A	377.0	8.5	0.34	0.040
IHT 181	L2A	383.5	4.0	0.73	0.181
IHT 189	L1	400.5	2.0	0.38	0.190
IHT 19	L2A	337.0	2.2	0.29	0.134
IHT 195	L2A	338.0	2.5	0.28	0.110
IHT 196	L1	416.5	1.5	0.33	0.220
IHT 196	L2B	371.0	8.0	0.72	0.089
IHT 198	L1	407.0	11.0	0.54	0.049
IHT 199	L2B	353.5	4.0	0.60	0.149
IHT 200	L2A	352.0	6.0	0.65	0.108
IHT 24	L2A	339.5	4.3	0.29	0.066
IHT 26	L2B	276.7	2.0	0.24	0.122
IHT 34	L1	421.0	7.0	0.50	0.072
IHT 41	L2A	342.0	4.0	0.42	0.104
IHT 43	L1	315.0	4.5	0.54	0.120
IHT 45	L2A	281.0	4.0	0.24	0.060
IHT 48	L1	305.0	7.0	0.42	0.060
IHT 48	L2A	293.0	2.0	0.44	0.220
IHT 5	L1	387.7	4.7	0.52	0.110
IHT 50	L1	305.0	8.0	0.24	0.030
IHT 51	L2A	311.0	7.0	0.28	0.040
IHT 56	L1	322.0	16.0	0.44	0.028
IHT 57	L1	297.0	10.0	0.20	0.020
IHT 58	L1	326.0	19.0	0.44	0.023
IHT 66	L2A	292.0	5.0	0.35	0.070
IHT 68	L1	307.0	10.0	1.02	0.102
IHT 69	L4	255.0	6.0	0.30	0.050
IHT 78	L1	415.0	3.0	0.24	0.080
IHT 78	L2B	374.0	9.0	0.27	0.030
IHT 79	L1	399.5	7.5	0.82	0.109
IHT 8	L2A	371.7	3.3	0.43	0.130
IHT 92	L2A	278.0	2.0	0.33	0.165
IHT 95	L1	322.0	4.0	0.41	0.101
IHT 99	L1	329.0	7.0	1.24	0.176
IHW 10	L2A	383.1	6.2	0.27	0.043
IHW 14	L1	399.8	4.0	0.22	0.054
IHW 2	L2A	343.0	3.6	0.38	0.107
IHW 5	L2A	402.0	1.3	0.23	0.174
IHW 6	L2B	368.7	3.7	0.36	0.096
KLJ 1	L4	582.0	2.5	0.55	0.220
MSJ 3	L4	557.0	10.0	0.88	0.088
MST 16	L2A	619.5	4.0	0.68	0.170
MST 24	L2B	594.0	12.0	0.24	0.020
PA 10	L2A	582.0	3.5	0.27	0.077
PA 105	L1	638.5	4.0	0.78	0.195
PA 126	L2B	566.5	3.0	0.27	0.089
PA 128	L2B	643.0	2.5	0.26	0.105
PA 136	L2B	634.5	1.5	0.30	0.198
PA 137	L1	571.0	5.0	0.26	0.051
PA 14	L2B	599.0	2.0	0.29	0.145
PA 38	L2B	531.0	3.0	0.60	0.200
PA 40	L2A	550.5	9.0	1.35	0.150
PA 44	L4	492.5	1.5	0.39	0.260
PA 54	L3	522.0	1.0	0.57	0.570
PA 56	L3	531.0	1.0	0.46	0.460
PA 57	L3	535.0	1.0	0.21	0.210
PA 63	L4	495.5	1.0	0.27	0.270
PA 66	L5	465.0	2.0	0.48	0.240
PA 70	L5	434.5	15.5	1.25	0.081
PA 74	L4	485.0	7.5	0.26	0.035
PA 77	L4	508.5	5.5	0.55	0.100

FBM 110	L1	420.2	6.4	0.24	0.037
FBM 114	L2A	417.2	2.0	0.22	0.112
FBM 115	L2B	395.6	1.8	0.27	0.152
FBM 115	L1	430.1	1.1	0.51	0.468
FBM 116	L1	421.5	5.8	0.57	0.098
FBM 117	L1	405.5	2.3	0.27	0.119
FBM 126	L1	381.8	1.7	0.29	0.172
FBM 128	L2	376.0	1.5	0.33	0.220
FBM 13	L1	374.3	14.6	1.16	0.079
FBM 138	L2B	335.0	1.0	0.31	0.310
FBM 141	L2A	363.0	1.3	0.20	0.154
FBM 142	L2A	346.0	2.0	0.28	0.139
FBM 142	L2B	320.5	8.2	0.51	0.063
FBM 143	L1	361.5	2.5	0.29	0.116
FBM 145	L2A	342.2	1.5	0.28	0.184
FBM 148	L2A	343.5	3.0	0.35	0.115
FBM 154	L2A	450.2	2.8	0.51	0.184
FBM 16	L1	400.0	3.3	0.51	0.156
FBM 167	L2B	407.0	2.5	0.33	0.130
FBM 173	L2A	434.5	4.7	0.55	0.118
FBM 176	L1	429.0	6.5	0.27	0.042
FBM 18	L1	361.5	5.7	0.37	0.064
FBM 182	L7	306.2	3.8	0.41	0.107
FBM 182	L2B	421.3	2.0	0.68	0.340
FBM 183	L2B	407.7	10.3	0.40	0.039
FBM 185	L2A	433.5	6.0	0.26	0.043
FBM 188	L2B	367.5	1.0	0.23	0.230
FBM 19	L1	363.0	9.8	0.81	0.083
FBM 193	L3	412.8	1.2	0.39	0.329
FBM 196	L2A	428.0	8.0	0.56	0.070
FBM 199	L2B	420.0	3.5	0.32	0.090
FBM 200	L2B	428.5	2.0	0.22	0.110
FBM 23	L1	381.2	14.3	0.53	0.037
FBM 24	L2A	369.2	3.2	0.21	0.065
FBM 29	L2A	339.9	3.4	0.21	0.062
FBM 41	L1	339.5	6.8	0.27	0.039
FBM 42	L2A	344.5	1.1	0.32	0.293
FBM 46	L2B	348.7	2.7	0.29	0.107
FBM 47	L1	389.0	6.0	0.24	0.040
FBM 5	L2A	334.8	5.4	0.23	0.043
FBM 50	L2	435.0	10.0	0.21	0.021
FBM 55	L1	456.0	6.8	0.45	0.066
FBM 59	L1	444.7	6.8	0.39	0.058
FBM 60	L2A	428.8	2.5	0.37	0.146
FBM 65	L7	305.0	4.0	0.21	0.052
FBM 73	L2A	428.2	13.7	0.65	0.048
FBM 76	L7	297.3	10.0	0.23	0.023
FBM 76	L3	400.3	2.5	0.75	0.299
FBM 81	L2B	415.8	3.0	0.33	0.109
FBM 81	L2A	427.6	4.1	0.42	0.102
FBM 85	L2B	413.3	2.3	0.24	0.106
FBM 85	L3	398.5	5.0	0.39	0.079
FBM 88	L1	449.0	4.2	0.30	0.072
FBM 88	L2B	412.5	9.2	1.18	0.129
FBM 9	L1	367.4	4.6	0.30	0.066
FBM 91	L1	447.5	2.8	0.47	0.169
FBM 92	L2B	432.0	7.5	1.91	0.254
FBM 93	L2B	427.2	2.3	0.21	0.092
FBM 94	L2B	434.6	4.5	0.86	0.190
FBM 97	L6	349.0	8.2	0.47	0.057
FBM 98	L4	417.2	1.0	0.31	0.310
FBM 99	L2B	432.0	3.3	0.29	0.088
FBR 1	L1	436.0	13.5	0.27	0.020
FBR 1	L2A	425.0	10.5	0.53	0.050
FBR 10	L2B	330.0	2.0	0.32	0.160
FBR 14	L2A	381.0	9.0	0.40	0.044
FBR 16	L2A	396.0	15.0	0.45	0.030

PA 77	L3	529.0	3.5	0.63	0.180
PA 86	L6	432.5	8.0	0.32	0.040
PA 9	L2B	551.0	1.0	0.20	0.200
PA 90	L4	489.0	3.5	0.21	0.060
PA 90	L5	465.0	2.5	0.23	0.090
PA 93	L3	486.5	7.0	0.34	0.049
PA 93	L4	470.5	9.0	0.75	0.083
PA 95	L5	440.5	5.5	2.09	0.380
PJ 10	L3	521.0	5.5	0.22	0.040
PJ 10	L1	581.0	2.0	0.32	0.160
PJ 16	L1	623.5	4.0	0.20	0.050
PJ 21	L1	659.0	1.0	0.32	0.320
PJ 31	L2B	593.0	3.0	0.28	0.093
PJ 45	L2A	576.5	2.0	0.34	0.170
PJ 47	L2B	541.0	4.5	0.27	0.061
PM 101	L4	463.3	3.1	0.21	0.068
PM 104	L1	382.1	3.0	0.44	0.146
PM 113	L4	469.0	1.6	0.23	0.144
PM 113	L3	473.2	5.8	0.52	0.090
PM 114	L6	403.0	8.1	0.28	0.034
PM 115	L5	432.3	12.2	0.43	0.035
PM 116	L6	399.6	11.6	0.34	0.029
PM 117	L2B	539.0	3.0	0.23	0.076
PM 118	L2B	532.0	3.0	0.45	0.149
PM 121	L1	592.0	5.0	0.27	0.054
PM 130	L4	531.0	4.0	0.21	0.053
PM 132	L3	512.5	5.5	0.41	0.074
PM 149	L5	438.5	6.5	0.33	0.050
PM 15	L3	545.5	18.5	0.44	0.024
PM 150	L5	435.0	6.5	0.33	0.050
PM 151	L5	441.0	15.5	3.88	0.250
PM 164	L7	457.0	6.0	0.24	0.040
PM 17	L4	519.5	4.3	0.26	0.061
PM 174	L2B	625.0	2.0	0.32	0.160
PM 207	L5	454.0	6.0	3.54	0.590
PM 208	L5	443.0	4.0	0.24	0.060
PM 211	L4	515.0	1.5	0.21	0.140
PM 213	L3	505.0	1.5	0.21	0.140
PM 224	L4	534.5	1.0	0.26	0.260
PM 226	L2A	569.0	3.0	0.30	0.100
PM 226	L3	526.0	3.0	1.71	0.570
PM 229	L1	550.0	7.0	0.53	0.076
PM 29	L2B	549.0	5.8	0.20	0.035
PM 29	L4	526.5	4.8	0.23	0.047
PM 38	L2B	542.3	1.7	0.43	0.250
PM 48	L5	447.0	8.7	0.34	0.039
PM 49	L4	460.3	5.2	0.25	0.048
PM 49	L2B	482.0	11.5	0.41	0.036
PM 49	L3	469.6	2.5	0.67	0.266
PM 5	L2B	540.3	4.7	0.73	0.155
PM 52	L3	517.0	5.7	1.07	0.188
PM 58	L5	436.0	6.7	0.24	0.036
PM 61	L6	425.2	7.0	0.26	0.037
PM 61	L5	456.7	6.8	0.76	0.111
PM 63	L6	423.6	8.4	0.40	0.048
PM 68	L4	464.5	7.2	0.41	0.057
PM 69	L4	477.8	2.5	0.61	0.242
PM 69	L5	462.8	2.2	0.74	0.336
PM 70	L4	480.0	2.2	0.76	0.346
PM 75	L4	484.0	1.0	0.38	0.380
PM 76	L3	498.0	1.5	0.26	0.170
PM 78	L2B	529.0	3.0	0.42	0.140
PM 79	L2B	537.0	4.0	0.92	0.230
PM 8	L3	536.0	5.8	0.33	0.057
PM 84	L2B	543.3	2.0	0.21	0.105
PM 85	L3	535.5	8.5	0.26	0.030
PM 89	L2B	543.0	2.5	0.23	0.092

FBR 17	L1	411.5	2.0	0.26	0.130
FBR 18	L2A	397.0	8.5	0.76	0.089
FBR 20	L2A	399.0	9.0	0.54	0.060
FBR 26	L1	394.5	1.0	0.21	0.210
FBR 28	L1	372.0	12.5	0.30	0.024
FBR 30	L2A	330.0	7.5	0.24	0.032
FBR 34	L2B	355.0	2.0	0.20	0.100
FBR 34	L1	398.0	2.5	0.33	0.130
FBR 4	L2A	399.0	4.0	0.29	0.073
FBR 4	L1	432.0	1.5	0.38	0.250
FBR 48	L2B	427.0	1.5	0.41	0.270
FBR 50	L6	348.0	7.0	0.21	0.030
FBR 55	L3	401.5	1.5	1.05	0.700
FBR 59	L2B	418.0	1.0	0.35	0.350
FBR 6	L1	375.0	5.0	0.31	0.062
FBR 7	L1	365.0	7.0	0.24	0.034
FBR 8	L1	407.0	4.0	0.64	0.160
FBS 10	L1	419.7	4.3	1.15	0.267
FBS 100	L7	341.5	3.5	0.25	0.070
FBS 100	L6	365.0	6.2	0.39	0.063
FBS 102	L3	438.5	1.0	0.29	0.287
FBS 102	L6	359.2	7.8	0.34	0.043
FBS 103	L6	345.0	4.2	0.26	0.061
FBS 104	L7	347.9	1.3	0.98	0.750
FBS 107	L7	348.5	1.5	0.24	0.158
FBS 108	L3	434.5	6.0	0.52	0.087
FBS 11	L2A	385.0	5.5	0.33	0.060
FBS 11	L1	401.8	16.8	0.83	0.049
FBS 110	L1	406.0	1.0	0.24	0.243
FBS 111	L1	402.8	1.2	0.37	0.308
FBS 111	L2A	384.5	3.2	0.48	0.150
FBS 117	L3	440.0	1.0	0.26	0.260
FBS 121	L7	331.4	7.5	0.60	0.080
FBS 128	L2B	451.8	4.1	0.21	0.050
FBS 129	L7	340.2	1.5	0.99	0.660
FBS 134	L2B	434.3	1.5	0.28	0.187
FBS 136	L2B	434.0	3.0	0.54	0.180
FBS 136	L7	314.3	2.5	0.66	0.263
FBS 138	L7	322.0	5.5	0.22	0.040
FBS 139	L7	326.5	3.5	0.22	0.064
FBS 142	L6	358.0	4.5	0.27	0.060
FBS 143	L6	359.5	7.2	0.26	0.036
FBS 145	L7	349.0	1.0	0.20	0.200
FBS 147	L7	352.5	1.0	0.51	0.510
FBS 15	L2A	391.5	3.5	0.37	0.106
FBS 150	L4	433.5	1.0	0.20	0.200
FBS 153	L4	440.0	3.5	0.51	0.145
FBS 159	L4	398.2	1.8	0.29	0.160
FBS 171	L2A	397.0	2.2	0.20	0.091
FBS 172	L2A	396.0	4.0	0.67	0.166
FBS 18	L2A	393.6	4.0	0.24	0.059
FBS 18	L2B	384.8	3.4	0.27	0.080
FBS 182	L1	407.1	4.6	0.61	0.132
FBS 185	L2A	391.5	6.0	0.44	0.073
FBS 185	L1	405.5	5.3	0.71	0.133
FBS 186	L1	410.5	1.0	0.39	0.388
FBS 187	L1	421.0	1.5	0.54	0.357
FBS 189	L2A	378.4	2.4	0.37	0.155
FBS 191	L2A	382.3	3.5	0.30	0.085
FBS 191	L1	393.3	4.5	0.33	0.074
FBS 195	L2A	386.8	5.2	0.44	0.085
FBS 2	L1	418.2	3.0	0.73	0.244
FBS 20	L2A	398.3	2.7	0.30	0.112
FBS 201	L2B	382.0	10.0	0.24	0.024
FBS 202	L1	413.8	1.0	0.22	0.224
FBS 203	L2A	337.5	9.5	0.22	0.023
FBS 23	L2A	395.5	7.7	0.37	0.047
PM 94	L3	535.0	1.1	0.20	0.186
PM 96	L4	529.0	4.0	0.30	0.076
PM 99	L3	474.2	9.5	0.24	0.025
PR 4	L1	381.0	15.0	0.75	0.050
PR 5	L1	383.0	6.0	0.23	0.038
PS 1	L3	520.0	8.5	0.59	0.069
PS 12	L4	485.0	4.5	0.42	0.093
PS 14	L6	425.0	6.5	0.34	0.053
PS 16	L5	433.0	9.7	1.23	0.127
PS 17	L5	439.0	2.6	0.40	0.155
PS 18	L4	454.0	1.7	0.37	0.220
PS 2	L2B	541.0	2.0	0.36	0.179
PS 3	L3	524.5	1.7	0.28	0.167
PS 31	L4	476.8	1.2	0.35	0.292
PS 31	L5	458.3	5.7	0.68	0.120
PS 37	L4	467.2	1.0	0.22	0.224
PS 39	L4	473.5	1.3	1.65	1.270
PS 40	L4	500.5	1.0	0.32	0.320
PS 41	L4	468.8	1.2	0.36	0.300
PS 41	L5	449.7	4.0	0.44	0.110
PS 42	L4	469.0	1.0	0.26	0.260
PS 42	L5	450.0	6.5	1.83	0.282
PS 45	L5	450.0	4.8	2.39	0.497
PS 46	L5	442.0	3.9	0.52	0.133
PS 47	L5	446.2	11.2	0.46	0.041
PS 48	L5	441.0	4.1	0.77	0.189
PS 51	L4	519.0	3.7	0.41	0.110
PS 56	L2B	534.0	3.0	0.38	0.127
PS 59	L3	529.0	6.0	0.60	0.100
PS 63	L4	509.0	3.0	0.22	0.072
PS 68	L4	478.0	8.0	0.53	0.066
PT 103	L1	628.5	6.5	0.23	0.035
PT 106	L2B	571.0	9.0	0.81	0.090
PT 108	L4	531.5	3.5	0.35	0.100
PT 109	L4	533.0	3.0	1.71	0.570
PT 11	L5	446.0	5.5	0.43	0.079
PT 11	L4	459.8	5.2	1.01	0.194
PT 112	L2B	609.5	2.5	0.26	0.102
PT 12	L5	438.9	6.8	2.83	0.416
PT 121	L5	431.5	7.5	0.25	0.033
PT 121	L4	450.0	5.0	0.46	0.091
PT 122	L6	451.5	18.5	0.37	0.020
PT 13	L5	456.8	6.2	0.24	0.039
PT 13	L4	482.8	6.5	0.47	0.073
PT 130	L2B	545.0	2.5	0.34	0.136
PT 133	L4	506.5	1.0	0.48	0.480
PT 137	L3	530.0	5.5	0.34	0.062
PT 139	L2B	542.5	5.5	0.52	0.094
PT 146	L4	470.5	4.0	0.48	0.119
PT 147	L4	474.5	2.0	2.62	1.310
PT 148	L5	461.5	9.5	4.52	0.475
PT 16	L4	455.1	6.8	0.51	0.075
PT 162	L5	478.5	6.5	1.13	0.174
PT 165	L4	498.5	1.5	0.41	0.270
PT 166	L6	421.0	6.0	0.42	0.070
PT 166	L5	460.0	4.0	1.44	0.360
PT 167	L4	462.0	2.0	0.42	0.210
PT 167	L5	441.5	1.5	0.78	0.520
PT 176	L2B	531.0	1.5	1.29	0.860
PT 180	L2B	531.0	5.0	0.50	0.100
PT 181	L2B	533.0	4.0	0.24	0.060
PT 182	L4	477.0	3.5	0.27	0.076
PT 183	L4	494.5	3.0	0.29	0.095
PT 183	L2B	523.0	4.0	0.60	0.150
PT 189	L3	531.0	8.0	0.24	0.030
PT 190	L3	533.5	5.5	1.36	0.248
PT 20	L4	476.5	3.5	1.10	0.314

FBS 3	L1	419.8	4.7	0.24	0.050
FBS 32	L1	406.5	3.0	0.44	0.145
FBS 33	L2A	398.5	5.2	0.51	0.098
FBS 37	L2A	376.5	2.0	0.23	0.115
FBS 48	L2B	394.5	2.3	0.30	0.129
FBS 51	L1	443.2	1.8	0.45	0.252
FBS 52	L1	448.0	3.0	0.24	0.079
FBS 54	L2B	387.8	1.5	0.33	0.220
FBS 6	L2A	383.8	1.2	0.42	0.350
FBS 62	L1	475.5	8.5	0.34	0.040
FBS 73	L1	417.0	2.5	0.25	0.100
FBS 78	L1	449.7	5.3	0.43	0.081
FBS 79	L1	443.5	11.5	0.38	0.033
FBS 83	L2A	427.2	3.8	0.27	0.072
FBS 83	L2B	407.2	15.3	1.00	0.065
FBS 88	L2A	417.0	4.5	0.38	0.085
FBS 92	L1	413.0	2.2	0.28	0.128
FBS 97	L2B	434.0	5.2	0.30	0.057
FBS 98	L7	329.0	7.0	0.35	0.050
FBS 98	L2B	430.7	6.8	0.54	0.079
FBS 99	L3	414.3	1.2	0.48	0.403
FBT 105	L2A	398.5	5.0	0.30	0.060
FBT 113	L2B	411.0	4.0	0.57	0.143
FBT 116	L2B	371.0	7.5	0.30	0.040
FBT 117	L1	438.5	6.0	0.27	0.045
FBT 142	L3	379.0	2.0	0.22	0.110
FBT 145	L1	440.0	1.5	0.21	0.140
FBT 153	L1	443.5	4.5	0.38	0.083
FBT 159	L2B	370.5	2.5	0.25	0.098
FBT 161	L2B	370.5	4.0	0.20	0.050
FBT 166	L2A	386.0	5.0	0.25	0.050
FBT 174	L3	440.5	5.0	1.65	0.330
FBT 175	L1	402.5	1.0	0.36	0.360
FBT 18	L2B	410.2	1.0	0.29	0.286
FBT 183	L7	300.0	5.5	0.64	0.116
FBT 189	L7	345.5	1.5	0.44	0.290
FBT 189	L3	442.0	10.0	0.90	0.090
FBT 19	L2A	438.9	2.9	0.46	0.157
FBT 198	L2A	459.0	3.0	0.48	0.160
FBT 2	L1	465.0	2.0	0.20	0.100
FBT 202	L1	376.0	10.0	0.32	0.032
FBT 207	L2B	434.0	4.5	0.22	0.049
FBT 208	L2A	466.0	5.5	0.44	0.080
FBT 210	L1	470.0	2.0	0.30	0.152
FBT 22	L1	451.0	3.6	0.20	0.057
FBT 3	L1	458.5	3.5	0.52	0.147
FBT 33	L6	362.8	3.8	0.36	0.096
FBT 37	L3	407.0	1.0	0.21	0.213
FBT 39	L2A	338.0	7.5	0.53	0.070
FBT 53	L2B	426.0	6.5	0.57	0.088
FBT 55	L2B	440.5	9.5	0.24	0.025
FBT 57	L2A	436.0	1.0	0.45	0.450
FBT 57	L1	439.0	7.0	0.70	0.100
FBT 65	L1	416.0	4.0	0.32	0.080
FBT 67	L1	420.0	9.0	0.46	0.051
FBT 69	L6	356.5	2.5	0.30	0.120
FBT 78	L2A	374.0	7.5	0.24	0.031
FBT 80	L2A	375.0	6.5	0.44	0.067
FBT 87	L1	421.0	1.0	0.32	0.320
FBT 9	L2A	431.0	3.0	0.30	0.100
FBT 90	L2A	413.5	5.5	0.54	0.097
FBT 95	L1	478.0	4.0	0.40	0.100
FBT 97	L2A	393.5	5.5	0.28	0.050
FBW 2	L2A	334.1	4.7	0.26	0.056
IHA 14	L2A	303.0	4.5	0.36	0.080
IHA 14	L2B	271.0	4.5	0.45	0.099
IHA 16	L1	318.0	7.0	0.36	0.051

PT 22	L2B	491.0	4.0	0.22	0.055
PT 22	L4	465.5	7.0	0.23	0.033
PT 22	L3	473.5	5.0	0.35	0.070
PT 28	L5	472.5	3.5	0.61	0.173
PT 28	L4	481.0	11.5	0.63	0.055
PT 29	L6	424.0	5.2	0.25	0.049
PT 29	L5	456.2	3.7	0.63	0.170
PT 36	L5	440.0	6.5	0.39	0.060
PT 36	L4	465.0	3.0	1.74	0.580
PT 44	L2B	529.0	5.0	0.47	0.094
PT 45	L3	517.0	5.0	0.45	0.090
PT 47	L5	508.0	4.0	0.24	0.060
PT 47	L4	531.0	1.0	0.35	0.350
PT 62	L2A	592.5	1.0	0.22	0.220
PT 66	L2B	540.0	1.0	0.39	0.390
PT 67	L2A	558.5	7.5	0.36	0.048
PT 71	L2A	606.5	2.5	0.37	0.148
PT 72	L2B	564.5	6.0	0.90	0.150
PT 77	L1	662.0	2.0	0.24	0.120
PT 8	L4	453.5	3.5	0.23	0.065
PT 8	L3	484.2	3.9	0.25	0.063
PT 81	L1	631.0	6.5	0.51	0.078
PT 82	L2B	590.0	1.5	0.26	0.170
PT 82	L2A	613.0	7.0	0.30	0.043
PT 86	L2B	555.5	6.5	0.59	0.090
PT 94	L4	568.0	1.0	0.40	0.400
PT 97	L2B	552.0	1.0	0.34	0.340
PW 14	L3	510.5	1.4	0.39	0.282
PW 16	L3	509.5	5.4	1.35	0.251
PW 17	L2B	543.0	1.1	0.22	0.203
RONA 1	L5	415.5	1.5	0.35	0.230
RONA 101	L3	489.0	5.0	0.24	0.048
RONA 103	L3	502.0	1.0	0.46	0.460
RONA 104	L3	498.5	3.5	0.22	0.063
RONA 107	L3	495.0	3.5	0.36	0.101
RONA 108	L3	483.5	2.0	0.26	0.130
RONA 11	L7	352.0	1.5	0.32	0.210
RONA 117	L4	487.5	2.5	0.33	0.130
RONA 119	L3	487.0	2.5	0.37	0.146
RONA 120	L3	494.0	10.0	0.20	0.020
RONA 121	L3	445.0	3.5	0.23	0.066
RONA 123	L7	357.5	1.5	0.50	0.330
RONA 124	L3	464.5	4.0	0.23	0.058
RONA 127	L1	545.0	7.0	0.35	0.050
RONA 130	L1	564.0	13.0	0.39	0.030
RONA 132	L1	573.0	14.0	0.28	0.020
RONA 136	L1	551.0	10.0	0.20	0.020
RONA 137	L1	575.0	10.0	0.51	0.051
RONA 14	L7	380.0	5.0	0.20	0.040
RONA 140	L1	567.5	15.0	0.85	0.056
RONA 145	L1	573.0	5.0	0.55	0.110
RONA 147	L1	573.5	13.0	1.43	0.110
RONA 15	L7	379.0	2.0	0.54	0.270
RONA 2	L7	367.0	2.0	1.04	0.520
RONA 23	L7	382.5	3.5	0.53	0.151
RONA 26	L2B	496.0	1.0	0.28	0.280
RONA 29	L2B	496.5	2.0	2.60	1.300
RONA 33	L3	480.0	3.0	0.21	0.070
RONA 4	L7	355.0	5.0	0.40	0.080
RONA 45	L7	347.0	9.0	0.27	0.030
RONA 45	L4	420.0	2.5	0.30	0.120
RONA 51	L3	483.5	1.0	0.64	0.640
RONA 6	L7	350.5	2.5	0.45	0.178
RONA 67	L3	498.5	3.0	1.26	0.420
RONA 68	L3	498.0	1.5	0.23	0.150
RONA 73	L3	498.0	1.5	0.57	0.380
RONA 74	L4	484.5	2.0	0.30	0.150

IHA 18	L2A	382.5	1.5	0.36	0.240
IHA 21	L2B	313.0	15.0	0.50	0.033
IHA 23	L3	304.0	2.0	0.21	0.105
IHA 24	L2B	309.0	3.5	0.23	0.064
IHA 30	L2A	313.0	12.5	0.51	0.040
IHA 31	L2B	323.0	1.0	0.26	0.260
IHA 35	L2A	366.5	6.0	0.48	0.080
IHA 36	L2A	314.5	5.5	0.22	0.040
IHA 37	L2B	363.0	12.0	0.24	0.020
IHA 37	L1	410.0	8.0	0.24	0.030
IHA 42	L2A	372.0	3.0	0.27	0.090
IHA 43	L2A	266.5	7.0	0.28	0.039
IHA 44	L2B	264.5	6.5	0.29	0.045
IHA 44	L2A	301.5	6.0	0.42	0.070
IHA 49	L1	305.5	3.5	0.24	0.069
IHA 50	L3	254.5	4.0	0.24	0.060
IHA 52	L2A	293.0	5.0	0.25	0.050
IHA 53	L1	301.0	18.0	0.36	0.020
IHA 55	L2A	277.5	7.5	0.53	0.070
IHA 56	L1	276.5	24.5	0.49	0.020
IHA 57	L1	302.0	3.0	0.42	0.140
IHA 58	L1	302.0	8.5	0.34	0.039
IHA 59	L2A	283.0	4.0	0.20	0.050
IHA 59	L1	292.5	16.5	0.33	0.020
IHA 6	L1	295.0	4.5	0.42	0.093
IHJ 106	L1	383.5	8.0	0.24	0.030
IHJ 17	L1	305.5	3.0	0.24	0.080
IHJ 18	L1	324.0	4.5	0.41	0.090
IHJ 22	L1	308.0	2.5	0.29	0.116
IHJ 22	L2A	295.5	1.5	0.42	0.280
IHJ 23	L2A	270.0	15.0	0.66	0.044
IHJ 28	L2A	392.0	7.0	0.21	0.030
IHJ 29	L1	404.5	8.5	0.36	0.042
IHJ 33	L1	416.5	2.5	0.35	0.140
IHJ 38	L2B	341.5	4.5	1.04	0.230
IHJ 42	L1	403.5	11.0	0.33	0.030
IHJ 45	L2A	383.5	2.0	0.41	0.205
IHJ 47	L2A	374.5	4.0	0.46	0.115
IHJ 47	L1	401.5	3.5	1.05	0.300
IHJ 49	L2B	371.5	8.5	0.26	0.030
IHJ 51	L1	441.0	10.0	0.20	0.020
IHJ 51	L2A	387.0	5.0	0.50	0.100
IHJ 56	L3	338.0	3.0	0.21	0.070
IHJ 68	L1	337.0	5.5	0.57	0.103
IHJ 69	L1	313.0	4.0	0.22	0.056
IHJ 70	L1	317.5	6.5	0.51	0.079
IHJ 77	L2A	263.5	6.0	0.47	0.079
IHJ 78	L2A	291.5	1.5	0.23	0.151
IHJ 80	L2B	272.0	4.0	0.26	0.065
IHJ 82	L1	326.5	5.5	0.81	0.148
IHJ 86	L2A	255.5	8.0	0.82	0.102
IHJ 87	L2B	243.5	3.5	0.31	0.089
IHJ 94	L1	320.0	3.0	0.40	0.134
IHK 10	L2	412.0	1.5	0.21	0.140
IHK 10	L1	432.0	2.0	0.28	0.140
IHK 11	L2	399.0	15.0	0.30	0.020
IHK 2	L3	267.0	8.5	0.26	0.031
IHK 8	L3	375.0	6.0	0.23	0.038
IHM 105	L2A	342.7	2.3	0.42	0.182
IHM 108	L1	299.5	3.5	1.58	0.450
IHM 109	L1	291.5	8.0	1.71	0.213
IHM 111	L2B	323.0	2.5	0.23	0.090
IHM 123	L2A	364.5	4.5	0.68	0.150
IHM 129	L1	392.5	6.5	0.37	0.057
IHM 135	L1	417.0	1.5	0.26	0.170
IHM 144	L1	294.0	8.5	2.44	0.287
IHM 83	L1	346.5	5.0	0.43	0.086
RONA 80	L4	468.5	4.5	0.27	0.060
RONA 84	L3	492.5	2.0	0.27	0.135
RONA 86	L4	473.0	4.5	0.29	0.064
RONA 87	L5	462.5	1.5	0.33	0.220
RONA 92	L5	450.0	1.0	0.33	0.330
RONA 95	L3	499.5	1.5	0.63	0.420
RONM 16	L2B	456.0	6.5	1.72	0.264
RONM 17	L2B	469.5	15.0	0.84	0.056
RONM 18	L3	483.0	2.5	0.28	0.110
RONM 3	L2B	496.0	1.0	0.51	0.514
RONR 10	L4	457.0	4.0	0.40	0.100
RONR 10	L3	484.0	3.5	1.65	0.470
RONR 19	L3	477.5	3.0	0.36	0.120
RONR 22	L7	350.5	3.0	0.27	0.090
RONR 25	L3	490.0	1.5	0.33	0.220
RONR 28	L3	485.5	2.5	0.28	0.110
RONR 29	L7	348.5	1.0	0.24	0.240
RONR 8	L3	500.0	3.0	0.27	0.090
RONR 13	L2B	453.0	4.5	0.72	0.161
RONR 18	L2B	483.2	4.0	0.26	0.065
RONR 19	L2B	455.0	4.1	0.82	0.199
RONR 2	L2B	454.6	1.3	0.23	0.178
RONR 26	L2B	479.0	2.0	0.62	0.312
RONR 34	L7	340.0	4.5	0.32	0.072
RONR 39	L2B	486.0	10.8	0.22	0.020
RONR 4	L2B	466.5	5.5	0.24	0.043
RONR 4	L7	351.8	1.2	0.36	0.300
RONR 4	L3	452.2	2.3	0.53	0.230
RONR 43	L7	353.0	1.0	0.73	0.730
RONR 48	L3	449.0	6.0	0.21	0.035
RONR 51	L3	467.0	5.0	0.32	0.064
RONR 51	L2B	478.5	4.5	1.60	0.356
RONR 6	L3	453.3	5.8	2.41	0.415
RONR 8	L3	456.8	2.0	0.45	0.227
RONR 9	L3	445.0	9.5	0.40	0.042
RONR 11	L7	372.0	2.0	0.24	0.120
RONR 2	L7	386.0	1.2	0.34	0.280
RONR 20	L7	356.3	3.5	0.40	0.113
RONR 30	L7	371.3	6.5	0.23	0.035
RONR 37	L7	356.2	4.0	0.40	0.099
RONR 39	L7	351.7	9.3	0.31	0.033
RONR 46	L3	465.0	3.5	0.48	0.136
RONR 5	L2B	508.1	1.5	0.30	0.200
RONR 57	L2B	486.0	9.0	0.27	0.030
RONR 58	L6	358.5	14.0	0.28	0.020
RONR 58	L4	429.5	8.5	0.46	0.054
RONR 58	L3	445.0	13.5	0.96	0.071
RONR 59	L4	486.5	5.0	0.32	0.063
RONR 59	L3	504.0	1.0	0.34	0.340
RONR 64	L3	462.0	1.0	0.21	0.210
RONR 69	L2B	478.5	9.0	0.82	0.091
RONR 8	L7	344.5	3.3	3.43	1.038
SRA 1	L4	227.0	3.0	0.21	0.070
SRM 136	L5	182.8	2.2	0.88	0.400
SRM 145	L5	190.0	5.5	0.29	0.052
SRM 145	L4	224.0	4.1	0.37	0.091
TRA 1	L7	185.0	7.0	0.49	0.070
TRJ 100	L5	186.0	3.5	0.35	0.100
TRJ 103	L2B	256.0	3.5	0.22	0.063
TRJ 122	L2A	367.0	5.5	0.26	0.047
TRJ 14	L5	251.5	6.5	0.41	0.062
TRJ 2	L4	200.0	4.5	0.23	0.051
TRJ 21	L3	234.0	7.0	0.26	0.037
TRJ 23	L4	238.0	7.5	0.23	0.030
TRJ 67	L2A	364.5	6.0	1.22	0.203
TRM 45	L1	406.0	8.5	1.66	0.195
TRS 1	L6	178.5	4.5	0.24	0.054

IHM 83	L2A	323.5	9.0	0.54	0.060
IHM 85	L2B	339.5	5.3	0.46	0.086
IHM 86	L2A	343.5	5.0	0.24	0.048
IHM 87	L1	356.8	4.0	0.31	0.078
IHM 91	L1	363.8	1.2	0.40	0.330
IHR 104	L2B	357.0	5.5	0.42	0.075

TRT 20	L4	243.5	2.5	0.23	0.090
TRT 31	L4	239.5	7.5	0.39	0.052
TRT 38	L4	210.0	5.5	0.21	0.037
TRT 53	L3	242.0	1.0	0.56	0.560
TRT 92	L5	185.0	2.5	0.40	0.160

Data potentially suitable for non-ISR recovery methods:

Hole ID	Zone	Depth (ft)	Thickness (ft)	GT	Avg. Grade (%)
DK 10	F12	116.0	2.5	0.39	0.154
DK 12	F12	110.0	6.0	0.30	0.050
DK 13	F12	122.0	3.0	0.29	0.096
DK 19	F12	124.0	5.0	0.40	0.079
DK 193	F12	62.0	5.0	0.20	0.040
DK 196	F12	65.5	3.0	0.39	0.130
DK 21	F11	137.0	10.0	0.24	0.024
DK 31	F12	118.0	18.0	0.40	0.022
DK 32	F11	130.5	18.0	0.68	0.038
DK 504	F11	99.0	7.5	0.45	0.060
DK 56	F12	102.0	19.0	0.92	0.048
DK 58	F12	104.5	10.0	0.62	0.062
DK 60	F12	96.0	13.0	1.17	0.090
DK 62	F12	111.0	2.5	0.38	0.150
DK 64	F12	124.5	6.0	0.30	0.050
DK 66	F12	109.0	10.0	1.00	0.100
DK 70	F12	102.0	15.0	0.63	0.042
DM 1049	F12	92.0	7.5	1.05	0.140
DM 1098	F12	94.5	3.5	0.28	0.080
DM 1219	F13	54.0	5.5	0.59	0.107
DM 269	F11	115.0	5.0	0.25	0.050
DM 404	F13	70.0	5.0	0.65	0.130
DM 868	F12	64.0	8.0	0.48	0.060
DM 902	F13	51.0	3.5	0.53	0.150
DM 947	F11	112.0	3.0	0.21	0.070
DN 1	F12	127.0	1.5	0.23	0.150
DN 13	F12	145.5	4.0	0.36	0.090
DN 17	F12	164.0	2.0	0.70	0.350
DN 18	F12	149.0	5.0	0.37	0.074
DN 20	F12	157.0	3.5	0.24	0.067
DN 5	F12	128.0	2.0	0.32	0.160
DN 6	F12	146.0	2.0	0.38	0.190
DN 7	F12	132.0	5.0	0.51	0.102
DN 9	F12	148.0	10.5	0.94	0.090
DP 220	F12	68.0	3.0	0.24	0.080
DP 281	F13	84.0	6.5	0.91	0.140
DP 50	F13	82.0	7.0	2.24	0.320
DP 63	F13	79.0	12.0	0.96	0.080
DP 68	F13	72.0	14.0	0.42	0.030
DR 302	F13	55.5	4.0	0.28	0.070
DR 303	F13	58.0	6.0	0.96	0.160
DR 307	F13	41.5	3.5	0.25	0.070
DR 310	F13	34.0	4.0	0.28	0.070
DR 311	F13	59.0	4.0	0.24	0.060
DR 312	F12	73.0	10.0	0.20	0.020
DR 312	F13	53.0	13.0	0.50	0.038
DR 315	F12	63.5	17.0	0.49	0.029
DR 316	F12	57.0	6.0	0.24	0.040
DR 509	F13	45.0	5.5	0.22	0.040
DR 53	F12	80.0	8.0	0.30	0.038
DR 58	F12	78.5	3.0	0.66	0.220
DR 631	F12	54.0	5.5	0.31	0.057
DR 633	F12	56.0	4.0	0.28	0.069
DR 688	F12	121.5	2.0	0.20	0.100
DR 735	F12	106.5	2.0	0.20	0.100

Hole ID	Zone	Depth (ft)	Thickness (ft)	GT	Avg. Grade (%)
IHJ 101	F13	62.0	8.5	0.35	0.042
IHJ 2	F11	101.5	2.0	0.28	0.140
IHJ 3	F12	89.0	2.0	0.21	0.105
IHJ 37	F12	119.5	3.5	0.25	0.070
IHJ 5	F12	116.0	6.0	0.54	0.090
IHJ 72	F12	30.5	5.5	0.21	0.038
IHJ 74	F12	9.5	4.5	0.57	0.126
IHJ 87	F12	9.5	3.5	0.50	0.143
IHK 26	F12	91.5	7.5	1.05	0.140
IHK 27	F12	90.5	9.0	0.63	0.070
IHK 28	F12	91.5	5.0	0.80	0.160
IHK 30	F12	96.0	5.0	0.54	0.107
IHK 31	F12	89.5	4.5	0.27	0.060
IHM 1	F12	80.0	9.0	0.36	0.040
IHM 113	F11	110.5	8.5	0.26	0.030
IHM 13	F11	110.0	4.0	0.20	0.050
IHM 13	F10	132.0	21.0	0.42	0.020
IHM 15	F11	106.5	7.0	0.28	0.040
IHM 15	F10	130.0	10.0	0.30	0.030
IHM 30	F12	90.0	5.0	0.40	0.080
IHM 33	F11	113.0	2.0	0.20	0.100
IHM 39	F12	90.0	8.0	0.28	0.035
IHM 40	F12	87.5	5.5	0.50	0.090
IHM 41	F12	81.5	4.5	0.50	0.110
IHM 43	F12	92.0	8.5	0.68	0.080
IHM 46	F12	87.0	7.0	0.25	0.035
IHM 50	F12	36.0	25.0	1.00	0.040
IHM 51	F12	35.0	25.0	0.50	0.020
IHM 53	F12	13.0	7.0	0.23	0.033
IHM 54	F12	21.0	13.0	0.52	0.040
IHM 56	F12	85.0	5.5	0.28	0.050
IHM 56	F11	107.0	9.0	0.36	0.040
IHM 59	F12	17.5	10.0	0.63	0.063
IHM 64	F12	20.0	2.0	0.28	0.140
IHM 65	F13	9.0	3.5	0.49	0.140
IHM 68	F12	18.0	10.0	0.34	0.034
IHM 69	F12	87.0	11.0	0.55	0.050
IHM 70	F12	104.5	8.0	0.24	0.030
IHM 73	F11	113.0	5.0	0.49	0.097
IHM 76	F11	134.0	12.5	0.38	0.030
IHM 8	F12	97.5	5.0	0.30	0.060
IHM 81	F12	100.5	4.5	0.22	0.049
IHM 9	F12	102.5	4.0	0.20	0.050
IHR 107	F12	86.5	10.0	1.41	0.141
IHR 2	F12	89.0	2.5	0.23	0.090
IHR 29	F13	11.0	15.0	0.30	0.020
IHR 3	F12	88.5	3.0	0.60	0.200
IHR 39	F12	118.5	4.5	0.54	0.120
IHR 40	F12	119.0	2.5	0.20	0.080
IHR 41	F12	117.5	2.5	0.20	0.080
IHR 42	F12	119.5	5.0	0.90	0.180
IHR 52	F12	93.0	2.0	0.32	0.160
IHR 55	F12	88.0	15.5	2.02	0.130
IHR 56	F12	88.0	13.5	1.35	0.100
IHR 59	F12	89.5	4.5	0.50	0.110

DR 736	F13	46.0	7.5	0.26	0.034
DR 745	F13	93.5	2.5	0.40	0.160
DR 753	F11	99.0	6.0	0.38	0.063
DR 755	F11	117.0	2.5	0.25	0.100
DR 757	F11	106.5	5.5	0.50	0.091
DR 759	F11	110.5	4.0	0.29	0.073
DR 761	F12	98.0	8.0	0.22	0.028
DR 761	F11	106.5	3.0	0.29	0.097
DR 765	F12	98.0	8.5	0.47	0.055
DR 772	F11	110.0	2.0	0.42	0.210
DR 776	F11	102.5	3.5	0.25	0.070
DR 834	F13	71.0	1.5	0.40	0.267
DR 851	F13	35.0	13.0	1.21	0.093
DR 856	F13	45.5	5.0	0.53	0.105
DR 858	F13	41.5	4.5	0.47	0.105
DR 872	F13	43.5	6.5	0.55	0.085
DR 890	F13	71.5	3.5	0.72	0.206
DR 893	F13	72.5	4.0	0.62	0.155
DR 894	F13	75.5	4.5	0.32	0.070
DR 895	F13	73.0	6.0	0.23	0.039
DR 896	F12	99.5	6.5	0.52	0.080
DR 897	F12	99.5	8.0	0.70	0.087
DR 901	F13	78.0	5.0	0.95	0.190
DR 902	F12	104.0	8.0	0.24	0.030
DR 908	F13	76.0	6.5	0.21	0.032
DR 909	F13	79.0	20.5	1.27	0.062
DR 910	F13	78.0	9.0	0.84	0.093
DR 910	F12	95.5	9.5	0.97	0.102
DR 911	F13	80.0	15.0	0.85	0.057
DR 914	F13	73.0	4.0	0.24	0.060
DRJ 2	F10	160.5	4.5	0.21	0.047
DRJ 2	F12	126.0	3.0	0.45	0.150
DRJ 21	F12	126.5	12.0	1.24	0.103
DRJ 4	F12	127.5	2.5	0.20	0.080
DRM 12	F11	104.0	9.0	0.25	0.028
DRR 105	F12	0.0	10.0	0.30	0.030
DRR 107	F12	0.0	6.0	0.29	0.048
DRR 108	F12	0.0	7.0	0.26	0.037
DRR 117	F12	101.5	3.0	0.21	0.070
DRR 119	F13	89.0	5.0	0.20	0.040
DRR 42	F13	65.0	1.5	0.30	0.200
DRR 82	F11	102.5	6.5	0.34	0.052
DRR 84	F12	89.0	8.5	0.26	0.030
DRR 93	F13	10.5	9.0	0.42	0.047
DRR 99	F12	42.5	4.0	0.36	0.090
DRR 99	F13	22.5	3.0	0.89	0.295
DRT 79	F12	86.0	7.0	0.21	0.030
DS 116	F13	76.0	5.0	0.33	0.066
DS 185	F13	83.0	7.5	1.43	0.190
DS 493	F13	80.0	4.0	0.44	0.110
DS 526	F13	65.0	2.5	0.23	0.090
DS 529	F13	69.0	4.0	0.40	0.100
DS 531	F13	52.0	5.0	0.20	0.040
DS 534	F13	65.0	2.0	0.24	0.120
DS 538	F12	72.0	3.0	0.45	0.150
DS 683	F11	161.0	7.0	0.62	0.089
DS 684	F11	161.5	4.0	0.20	0.050
DS 685	F11	162.0	3.0	0.20	0.067
DS 686	F11	160.0	7.0	0.21	0.030
DS 690	F12	105.0	3.0	0.26	0.085
DS 716	F13	79.0	3.8	0.23	0.060
DS 716	F12	94.0	4.0	0.30	0.075
DW 42	F12	32.0	4.5	0.36	0.081
DW 47	F12	52.0	2.0	0.21	0.105
DW 5	F12	50.0	6.0	0.24	0.040
DW 58	F12	74.0	1.5	0.24	0.162
EM 58	F13	112.5	2.0	0.20	0.100
IHR 6	F11	108.5	3.5	0.25	0.070
IHR 65	F11	73.0	7.0	0.49	0.069
IHR 66	F11	66.0	10.0	0.20	0.020
IHR 68	F11	112.0	9.0	0.27	0.030
IHR 73	F13	80.5	3.5	0.35	0.100
IHR 80	F13	58.0	8.0	0.34	0.043
IHR 82	F11	109.0	5.5	0.22	0.040
IHR 83	F12	87.0	10.0	0.40	0.040
IHR 83	F11	105.0	20.0	0.40	0.020
IHR 84	F12	81.0	4.5	0.32	0.070
IHR 90	F12	116.0	7.0	0.25	0.036
IHR 98	F11	113.5	7.5	0.53	0.070
IHS 3	F12	106.0	6.5	0.31	0.048
IHS 4	F12	110.0	7.0	0.35	0.050
IHS 6	F12	106.0	4.5	0.27	0.060
IHS 89	F12	25.5	10.0	0.20	0.020
IHS 9	F12	112.0	6.5	0.52	0.080
IHT 103	F12	101.5	7.0	0.28	0.040
IHT 103	F11	126.5	6.0	0.30	0.050
IHT 104	F12	89.5	3.5	0.21	0.060
IHT 110	F11	131.0	10.0	0.20	0.020
IHT 110	F12	107.0	4.5	0.27	0.060
IHT 112	F10	129.0	10.5	0.32	0.030
IHT 138	F13	16.0	10.0	0.20	0.020
SRM 153	F12	36.0	2.0	0.32	0.160
SRM 37	F10	113.0	3.5	0.39	0.110
SRM 42	F10	112.0	12.5	1.13	0.090
SRM 44	F10	103.0	8.0	0.61	0.076
SRR 1	F11	25.0	6.0	0.30	0.050
SRR 114	F11	76.0	11.0	0.31	0.028
SRR 116	F11	87.0	4.5	0.49	0.109
SRR 118	F11	76.0	4.5	0.30	0.067
SRR 2	F11	33.5	2.0	0.20	0.100
SRR 42	F12	26.0	3.0	0.24	0.080
SRR 45	F11	66.0	13.0	0.52	0.040
SRR 46	F11	82.0	6.0	0.42	0.070
SRR 51	F11	24.0	14.0	1.12	0.080
SRR 57	F11	85.0	12.0	0.30	0.025
SRR 7	F12	63.0	5.0	0.25	0.050
SRR 70	F10	90.0	8.0	0.21	0.026
SRR 72	F10	87.0	7.0	0.35	0.050
SRR 74	F10	90.0	12.0	0.68	0.057
SRR 80	F11	66.5	8.0	0.80	0.100
SRR 83	F11	104.5	3.0	0.21	0.071
SRR 85	F11	100.0	11.0	0.91	0.083
SRR 86	F11	96.0	11.0	0.68	0.062
SRR 88	F11	27.5	5.5	0.53	0.097
SRR 89	F11	40.0	12.5	1.83	0.147
SRR 90	F11	43.5	20.0	0.56	0.028
SRR 91	F11	43.5	3.0	0.20	0.067
SRR 92	F11	84.5	8.5	0.54	0.064
SRR 93	F11	92.0	13.0	0.64	0.049
SRR 94	F11	85.0	22.0	1.72	0.078
TRA 5	F13	34.5	3.5	0.25	0.070
TRJ 22	F11	54.5	11.0	0.62	0.056
TRJ 27	F11	78.0	6.0	0.41	0.068
TRJ 28	F10	93.5	6.5	0.30	0.045
TRT 100	F11	84.0	6.0	0.24	0.040
TRT 104	F11	11.0	7.5	0.43	0.057
TRT 114	F11	53.0	1.5	0.51	0.340
TRT 118	F11	37.0	2.0	0.28	0.140
TRT 120	F12	14.0	4.0	0.36	0.090
TRT 121	F11	57.0	6.5	0.50	0.077
TRT 124	F11	52.0	6.0	0.24	0.040
TRT 124	F12	34.0	6.0	0.30	0.050
TRT 38	F11	35.5	12.5	0.25	0.020
TRT 46	F12	17.0	5.0	0.24	0.047

IHA 31	F10	131.0	7.0	0.47	0.067	TRT 65	F12	52.0	9.0	0.27	0.030
IHJ 1	F11	106.0	3.5	0.21	0.060	TRT 92	F10	59.0	4.0	0.29	0.073
IHJ 1	F12	89.0	5.0	0.30	0.060						

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in NI 43-101 and was reviewed by John Mays, P.E., Chief Operating Officer for the Company and a Qualified Person under NI 43-101.

The Data Set includes historical drilling information that has been reviewed by the Company's geological team, as well as 91 exploratory drill holes completed by the Company in a previous exploration campaign. The Company's review of the records and information within the Data Set reasonably substantiate the validity of this information; however, the Company cannot directly verify the accuracy of the historical data, including the procedures used for sample collection and analysis. Therefore, the Company encourages investors not to place undue weight on these results.

The Company's current resource estimate and preliminary economic assessment dated April 21, 2015, with an effective date of January 29, 2015, for the Dewey Burdock Project primarily uses a cutoff grade of 0.05% and GT of 0.5; whereas, the intercepts identified above utilize a cutoff grade of 0.02% eU3O8 and GT of 0.2, which is consistent with other producing ISR projects in nearby Wyoming.

About Azarga Uranium Corp.

Azarga Uranium is an integrated uranium exploration and development company that controls six uranium projects, deposits and prospects in the United States of America (South Dakota, Wyoming and Colorado) and the Kyrgyz Republic. The Dewey Burdock Project, which is the Company's initial development priority, has received its NRC License and draft Class III and Class V Underground Injection Control ("UIC") permits from the Environmental Protection Agency ("EPA") and the Company is in the process of completing other major regulatory permit approvals necessary for the construction of the Dewey Burdock Project, including the final Class III and Class V UIC permits from the EPA.

For more information please visit www.azargauranium.com.

Follow us on Twitter at [@AzargaUranium](https://twitter.com/AzargaUranium).

For further information, please contact:

John Mays, COO
+1 303 790-7528

E-mail: info@azargauranium.com

Disclaimer for Forward-Looking Information

Certain statements in this news release are forward-looking statements, which reflect the expectations of management regarding its disclosure and amendments thereto. Forward-looking statements consist of statements that are not purely historical, including any statements regarding beliefs, plans, expectations or intentions regarding the future. Such statements may include, but are not limited to, statements with respect to the Company's continued efforts to obtain all major regulatory permit approvals necessary for the construction of the Dewey Burdock Project, including the final Class III and Class V UIC permits from the EPA, the potential to significantly expand the Dewey Burdock Project resource estimate within the NRC License boundary, larger and more continuous resource areas within the Dewey Burdock Project could achieve certain cost reductions compared to the existing preliminary economic assessment, the newly identified uranium mineralization indicates widespread potential to significantly increase the currently identified uranium resources at the Dewey Burdock Project and we look forward to completing a resource update for the Dewey Burdock Project as well as a revised preliminary economic assessment. Such statements are subject to risks and uncertainties that may cause actual results, performance or developments to differ materially from those contained in the statements. No assurance can be given that any of the events anticipated by the forward-looking statements will occur or, if they do occur, what benefits the Company will obtain from them. These forward-looking statements reflect management's current views and are based on certain expectations, estimates and assumptions, which may prove to be incorrect. A number of risks and uncertainties could cause our actual results to differ materially from those expressed or implied by the forward-looking statements, including without limitation: (1) the risk that the Company does not obtain all major regulatory permit approvals necessary for construction of the Dewey Burdock Project, including the final Class III and Class V UIC permits from the EPA, (2) the risk that the Dewey Burdock Project resource estimate is not significantly expanded within the NRC License boundary, (3) the risk that larger and more continuous resource areas within the Dewey Burdock Project do not achieve cost reductions compared to the existing preliminary economic assessment, (4) the risk that the newly identified uranium mineralization will not significantly increase the currently identified uranium resources, or increase them at all, at the Dewey Burdock Project, (5) the risk that the Company does not complete a resource update for the Dewey Burdock Project as well as a revised preliminary economic assessment, (6) the risk that such statements may prove to be inaccurate and (7) other factors beyond the Company's control. These forward-looking statements are made as of the date of this news release and, except as required by applicable securities laws, the Company assumes no obligation to update these forward-looking statements, or to update the reasons why actual results differed from those projected in the forward-looking statements. Additional information about these and other assumptions, risks and uncertainties are set out in the "Risks and Uncertainties" section in the Company's most recent MD&A filed with Canadian security regulators.

The TSX has not reviewed and does not accept responsibility for the adequacy or accuracy of the content of this News Release.